

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES STATE PUBLIC HEALTH LABORATORY **BREATH ALCOHOL PROGRAM**

DATAMASTER MAINTENANCE REPORT

REPORT #6

Complete this report at the time of the complete this report whenever the instraction and send a copy with	ument is serviced or repaire	ed and whenever it is	placed into service.).		
DATAVASTER SN NAME OF AGE 950065 NAME OF AGE	icy Cove Zone Office, Lake Oza	ark	DATE OF INSPECTION 0	6/11/2013		
LOCATION OF INSTRUMENT (STREET AND CITY) 2920 North Shamrock Road, Jeffe	LOCATION OF INSTRUMENT (STREET AND CITY) 2920 North Shamrock Road, Jefferson City		TIME OF INSPECTION 15:21			
CHECKLIST: Place a mark in the box by			g within established li	mits. (Write in observed va	alues	
where determined.) Unmarked items must be corrected before using instrument. ✓ DIAGNOSTIC CHECK (PRINTOUT ATTACHED) DATE AND TIME (from printout)06/11/2013 @ 15:21						
	ATTACHED)		(moin printout)	00/11/2010 (@ 10.21	-	
✓ COMPUTER		DETECTOR				
✓ PROGRAM		FILTERS				
▼ HEATERS SAMPLE CHAMBER	+50°C	QUARTZ STAN	NDARD			
FLOW DETECTOR	FLOW DETECTOR CALIBRATION					
✓ PUMP HIGH SPEED		PRINTER				
☑ INDICATOR LIGHTS						
SIMULATOR SOLUTION SUPPLIE	R Guth Laboratories	LOT # _	11220EX	P. DATE 10/24/2013		
SIMULATOR TEMP (34°C ± 0.2°C)	+34.00°C S	IMULATOR SN	DR5375 EX	P. DATE 04/15/2014	4	
✓ CALIBRATION CHECK – (ONLY ON	IE STANDARD IS TO BE U	SED PER MAINTEN	ANCE REPORT)			
Run three tests using a standard solution. All three tests must be within ±5% of the standard value and must have a spread of .005 or less. Mark the box corresponding to the standard solution being used. (PRINTOUT ATTACHED)						
✓ 0.100% STANDARD - MUST READ BETWEEN 0.095% AND 0.105% INCLUSIVE □ 0.080% STANDARD - MUST READ BETWEEN 0.076% AND 0.084% INCLUSIVE □ 0.040% STANDARD - MUST READ BETWEEN 0.038% AND 0.042% INCLUSIVE						
TEST 1 ≠ .100	TEST 2 ♣	.099	TEST 3 ➡	.100		
PERFORM R.F.I. TEST (PRINTOUT	ATTACHED)					
INDICATE THE NUMBER OF BREATH (DO NOT INCLUDE SELF-ADMINISTE		IG RANGES SINCE	THE LAST MAINTE	NANCE REPORT:		
REFUSALS 0 (004) 0	(.05-,09) 0	(.1014) 0	(.1519) 0	OVER .19 0		
LISTANY NEW PARTS AND DESCRIBE ANY ALTERATION OR MODIFICATION THAT WAS MADE TO RESTORE THE INSTRUMENT TO OPERATE SATISFACTORILY AND WITHIN ESTABLISHED UMITS (USE OTHER SIDE IF NECESSARY). Replaced CPU PC board and U24 on same. Adjusted A/D voltage on CPU PC board. Replaced printer driver PC board. Calibrated Instrument.						
INSPECTING OFFICER	ages (1915) for the resignation of the California					
SIGNATURE Carachela.	aruel	PRINT FULL NA Deway	พ ะ me D. Carver			
TYPE II PERMIT NUMBER/EXPIRATION DATE 230101	05/01/2815	TELEPHONE NU (573) 7	мвен 751-4722	-	\exists	
RETURN COMPLETED REPORT TO THE:	Breath Alcohol Program, N 2875 James Blvd. Poplar Bluff, MO 63901	AO Department of He	alth and Senior Serv	ices, Southeast District Of	llice	



CERTIFICATE OF ANALYSIS

Certified Alcohol Reference Solution for Simulator

Random Samples of Lot Number 11220 of Alcohol Reference Solution for Simulator were analyzed by gas chromatography on October 27, 2011, using a Perkin Elmer Gas Chromatograph Autosystem XL S/N: 610N9030209, and found to contain 0.1205% (w/vol) ethyl alcohol. The expiration date for this lot number is October 24, 2013 at 11:59 PM.

When used in a calibrated Simulator, operating at 34°C +/- .2°C, this solution will give a breath alcohol analysis instrument reading of 0.100 g/210L +/- 3%.

The alcohol and water used in this solution were free of test interfering substances.

Ted L. Pauley, President GUTH LABORATORIES, INC.

NIST Traceability:

Testing was conducted using Cerilliant Reference Standard lot number FN102408-02 whose values are traceable to NIST.

All balances are calibrated annually by an outside agency using NIST traceable weights. Calibration verification is done prior to each use utilizing NIST traceable weights.

Evidence Ticket

BAC DataMaster

MISSOURI STATE HIGHMAY PATRO

DIRECTOR CHECK

PROGRAM (84-87-2889);

公司

OKAY

FLOW DETECTORS

OK AY

光光

<u>8</u>49

OKAY

88

DETECTIONS

QUERTZ STENDERD

HOLLEGE IN

OPERATOR SIGNATURE

FACE THIS SIDE DOWN - THIS EDGE IN FIRST

BAC DataMaster

Evidence Ticket

MISSOURI STATE HIGHWAY PATROL BAC DATAMASTER SERIAL NUMBER 950065 .: 06/11/13

TESTING OFFICER: CARVER/DEWAYNE/D OFFICER I.D.: C41 PERMIT NUMBER: 230101 EXPIRATION DATE: 05/28/15 MISCELLAMEOUS DATA: . 100 VAPOR ACCURACY CHECK GUTH LABS LOT 11220 EXP 10/24/2013

--- SUPERVISOR MODE ---

BLANK TEST	.099	15:24
INTERNAL STANDARD	VERIFIE	D 15:24
EXTERNAL STANDARD	.190	15:24
BLANK TEST	.000	15:25
EXTERMAL STANDARD	.099	15:25
BLANK TEST	.000	15:26
EXTERNAL STANDARD	. 100	15:26
BLANK TEST	.000	15: 27

N = 3 SIM, = .1 AVG. = .0996

FACE THIS SIDE DOWN - THIS EDGE IN FIRST

BAC DataMaster

Evidence Ticket

MISSOURI STATE HIGHWAY PATROL BAC DATAMASTER SERIAL NUMBER 950065 06/11/13

ARREST TIME: 00:00 SUBJECT NAME:

DOR: 01/01/01

SEX: M

STATE/D.L.: XX/X ARRESTING OFFICER:

X OFFICER I.D.: X

TESTING OFFICER: CARVER/DEWAYNEI/D

OFFICER I.D.: C41

PERMIT NUMBER: 230101 EXPIRATION DATE: 05/28/15

MISCELLANEOUS DATA:

RFI TEST

--- BREATH ANALYSIS ---

BLANK TEST	,606	15:29
INTERMAL STANDARD	VERIFIED	15:29
SUBJECT SAMPLE	.000	15:39
RADIO INTERFERENCE		



STATE OF MISSOURI

DEPARTMENT OF HEALTH AND SENIOR SERVICES
BREATH ALCOHOL PROGRAM



PERMIT

DEWAYNE D CARVER

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field service and repairs, and operate the following breath analyzer(s):

ALCO-SENSOR IV W/PRINTER, DATAMASTER, INTOX DMT

for the determination of the alcoholic content of blood from a sample of expired air. Permit issued under the provisions of sections 577.020 through 577.041, RSMo and 306.111 through 306.119 RSMo.

DATE 05/28/2013

NUMBER 230101

EXPIRES 05/28/2015

MO 580-0771 (6-10)

DIRECTOR OF STATE PUBLIC HEALTH LABORATORY

12 EX

Acting Director

DIRECTOR OF DEPARTMENT OF HEALTH AND SENIOR SERVICES

AB-4 (RG-